
	EVATION CERTIFICATE	OMB No. 1660-0008
National Flood Insurance Program	RTANT: Follow the instructions on pages 1–9.	Expiration Date: July 31, 2015
APP 1 date 7/27/15 SEC	TION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name		Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and	d/or Bidg. No.) or RO. Route and Box No.	Company NAIC Number:
City 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	State	ZIP Code
A3. Property Description (Lot and Block Numbers, Tax Parc	NEW JE(25 EY cel Number, Legal Description, etc.)	ZIP Code 8 758
14x MAP WT 39 Block 96	DEERN TOWNSHIP. OC	EAN COUNTY N.J
A4. Building Use (e.g., Residential, Non-Residential Addition A5. Latitude/Longitude: Lat.		al Datum: NAD 1927 NAD 1983
A6. Attach at least 2 photographs of the building if the Cer		BINAD 1927 MAINAD 1983
A7. Building Diagram Number	A9. For a building with an	attached sames.
 a) Square footage of crawlspace or enclosure(s) 	sq ft a) Square footage of	
 Number of permanent flood openings in the crawls; or enclosure(s) within 1.0 foot above adjacent grad 	ie within 1.0 foot and	nent flood openings in the attached garage
c) Total net area of flood openings in A8.b		
d) Engineered flood openings?	d) Engineered flood o	
SECTION B - FLOO	OD INSURANCE RATE MAP (FIRM) INFORMAT	TON
81. NRP Community Name & Community Number Towaskie of Occasi 3405	B2. County Name OCEAN COUNTY	B3. State
B4. Map/Panel Number B5. Suffix B6. FIRM Index	Date B7. FIRM Panel Effective/ B8. Flood Zone	e(s) 89. Base Flood Elevation(s) (Zone
3402960416 F 9-29-		AO, use base flood depth)
B10. Indicate the source of the Base Rood Elevation (BFE) of FIS Profile FIRM Community Determined	data or base flood depth entered in Item 89:	
	☐ NGVD 1929 ■ NAVD 1988 ☐ Other/Sour	
B12.Is the building located in a Coastal Barrier Resources :		? ☐ Yes T⊠No
Designation Date:/ CB	RS □ OPA	
	NG ELEVATION INFORMATION (SURVEY REQU	HRED)
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when construction	NG ELEVATION INFORMATION (SURVEY REQU n Drawings*	Finished Construction
C1. Building elevations are based on: ☐ Construction *A new Elevation Certificate will be required when cons C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specifi	NG ELEVATION INFORMATION (SURVEY REQU in Drawings*	AFinished Construction /AH, AR/AO. Complete Items
C1. Building elevations are based on: *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specifi Benchmark Utilized: AI 9347	NG ELEVATION INFORMATION (SURVEY REQU In Drawings* ☐ Building Under Construction* struction of the building is complete. 11–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR, ied in Item A7. In Puerto Rico only, enter meters. Vertical Datum: ✓ AV D	AFinished Construction /AH, AR/AO. Complete Items
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specifi Benchmark Utilized: AI 9347 Indicate elevation datum used for the elevations in item	NG ELEVATION INFORMATION (SURVEY REQUEST PROPERTY OF THE PROP	AH, AR/AO. Complete Items / 9 8 8 Other/Source:
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a—h below according to the building diagram specifi Benchmark Utilized: AI 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a	NG ELEVATION INFORMATION (SURVEY REQUESTS TO PROVIDE STRUCTION INFORMATION (SURVEY REQUESTS TO PROVIDE STRUCTION IN SURVEY REQUESTS TO PROVIDE STRUCTION IN SURVEY REQUESTS TO PROVIDE STRUCTURE AND ARRIVED TO PROVIDE STRUCTURE AND A	/AH, AR/AO. Complete Items /988 Other/Source: measurement used.
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specifi Benchmark Utilized: AI 9347 Indicate elevation datum used for the elevations in item	NG ELEVATION INFORMATION (SURVEY REQUEST PROPERTY OF THE PROPE	AFinished Construction /AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a—h below according to the building diagram specifi Benchmark Utilized: AI 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawispace)	NG ELEVATION INFORMATION (SURVEY REQUESTS TO PROVIDE STRUCTION INFORMATION (SURVEY REQUESTS TO PROVIDE STRUCTION INFORMATION (SURVEY REQUESTS TO PROVIDE STRUCTION INFORMATION (SURVEY REQUESTS TO PROVIDE STRUCTURE) BY BUIlding Under Construction* STRUCTURE STRUCTUR	AFinished Construction /AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, VC2.a-h below according to the building diagram specific Benchmark Utilized: *A I 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab)	NG ELEVATION INFORMATION (SURVEY REQUIDED TO DRAWINGS* Building Under Construction* struction of the building is complete. (1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ed in Item A7. In Puerto Rico only, enter meters. Vertical Datum: VAVO ms a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. c, or enclosure floor) 4 Pfe V Zones only) 6 Fe	AFinished Construction /AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V C2.a-h below according to the building diagram specifi Benchmark Utilized: AI 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (NG ELEVATION INFORMATION (SURVEY REQUIDED TO Drawings* Building Under Construction* struction of the building is complete. (1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ied in Item A7. In Puerto Rico only, enter meters. Vertical Daturn: VAVO ms a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. c, or enclosure floor) 4 Pfe V Zones only) 6 Pfe mg the building 7 Pfe	AFinished Construction /AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specifical Benchmark Utilized: *A I 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing	NG ELEVATION INFORMATION (SURVEY REQUIDED TO DRAWINGS* Building Under Construction* struction of the building is complete. (1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ied in Item A7. In Puerto Rico only, enter meters. Vertical Daturn: VAVO ms a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. c, or enclosure floor) 4 Pfe V Zones only) 6 Pfe Ing the building 7 Pfe Ing the building 7 Pfe Instruction* Building Under Construction* Check the Pfe Ing the building 7 Pfe Ing the building 7 Pfe	AFinished Construction /AH, AR/AO. Complete Items /988 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions—Zones A1—A30, AE, AH, A (with BFE), VE, V. C2.a—h below according to the building diagram specification below according to the building diagram specification. Benchmark Utilized: *A T 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a). Top of bottom floor (including basement, crawispace b). Top of the next higher floor c) Bottom of the lowest horizontal structural member (d). Attached garage (top of slab). e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f). Lowest adjacent (finished) grade next to building (LA g). Highest adjacent (finished) grade next to building (HA).	NG ELEVATION INFORMATION (SURVEY REQUIDED TO Drawings* Building Under Construction* struction of the building is complete. 12-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ed in Item A7. In Puerto Rico only, enter meters. Vertical Datum: VAVO Ins a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. Check the 13.8 Feb. V Zones only) Feb. V Zones only) Feb. AG) Feb. AG) Feb. Graph Construction* Check the Graph Check	AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a—h below according to the building diagram specification between the below according to the building diagram specification. Benchmark Utilized: AT 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA)	NG ELEVATION INFORMATION (SURVEY REQUESTRUCTION INFORMATION INF	AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions—Zones A1—A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specification of the building diagram specification of the levation of the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support	NG ELEVATION INFORMATION (SURVEY REQUIDED TO Drawings* Building Under Construction* struction of the building is complete. 12-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ed in Item A7. In Puerto Rico only, enter meters. Vertical Datum: VAVO Ins a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. Check the 13.8 Feb. V Zones only) Feb. V Zones only) Feb. AG) Feb. AG) Feb. Graph Construction* Check the Graph Check	AFinished Construction /AH, AR/AO. Complete Items / 9 8 8 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions—Zones A1—A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specification according to the building diagram specification determined by the same of the elevations in items Datum used for building elevations must be the same of the pattern used for building elevations must be the same of the pattern of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme of the Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support **ECTION D - SURVI This certification is to be signed and sealed by a land surveyon formation. I certify that the Information on this Certificate regions.	NG ELEVATION INFORMATION (SURVEY REQUIDED IN Drawings*	Finished Construction /AH, AR/AO. Complete Items / 9 8 8 8 Other/Source: measurement used. set meters
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions—Zones A1—A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specific Benchmark Utilized: *A I 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same of a) Top of bottom floor (including basement, crawispace) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of siab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support **SECTION D — SURVI This certification is to be signed and sealed by a land surveyor formation. I certify that the Information on this Certificate regularization is to be statement may be punishable by fire and surveyor formation. I certify that the Information on this Certificate regularization is to be statement may be punishable by fire and surveyor formation.	NG ELEVATION INFORMATION (SURVEY REQUIDED TO DRAWINGS* Building Under Construction* struction of the building is complete. (1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ed in Item A7. In Puerto Rico only, enter meters. Vertical Datum: VAVO ms a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. c, or enclosure floor) 4 Pfe V Zones only) 7 Pfe ng the building 7 Pfe mg the building 7 Pfe presents including 7 Pfe EYOR, ENGINEER, OR ARCHITECT CERTIFICATOR, engineer, or architect authorized by law to certify elever one or imprisonment under 18 U.S. Code, Section 1001.	Finished Construction /AH, AR/AO. Complete Items /988 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions—Zones A1—A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specification according to the building diagram specification determined by the same of the elevations in items Datum used for building elevations must be the same of the pattern used for building elevations must be the same of the pattern of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme of the Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support **ECTION D - SURVI This certification is to be signed and sealed by a land surveyon formation. I certify that the Information on this Certificate regions.	NG ELEVATION INFORMATION (SURVEY REQUIDED IN Drawings*	Finished Construction /AH, AR/AO. Complete Items /988 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions—Zones A1—A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specification according to the building diagram specification. Benchmark Utilized: *A I 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (LA g) Highest adjacent grade at lowest elevation of deck of structural support **SECTION D - SURVI Instructural support** **SECTION D - SURVI Instructural support** **Check here if comments are provided on back of form.** **Check here if attachments.** **Certifer's Name**	NG ELEVATION INFORMATION (SURVEY REQUESTRUCTION INFORMATION INFOR	AFinished Construction /AH, AR/AO. Complete Items /988 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions— Zones A1—A30, AE, AH, A (with BFE), VE, VC2.a—h below according to the building diagram specification according to the building diagram specification determined by the same of the elevations in items Datum used for building elevations must be the same of the lowest floor (including basement, crawispace). Top of bottom floor (including basement, crawispace). Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment (Describe type of equipment and location i	NG ELEVATION INFORMATION (SURVEY REQUESTRUCTION INFORMATION (INFORMATION INFORMATION INFO	AFinished Construction /AH, AR/AO. Complete Items /988 B
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required when constructions— Zones A1—A30, AE, AH, A (with BFE), VE, V. C2.a—h below according to the building diagram specific Benchmark Utilized: *A T 9347 Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawispace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H) h) Lowest adjacent grade at lowest elevation of deck of structural support **SECTION D — SURVI This certification is to be signed and sealed by a land surveyor formation. I certify that the information on this Certificate regulariest and that any false statement may be punishable by fire the check here if comments are provided on back of form. **Check here if attachments.** **Certifier's Name**	NG ELEVATION INFORMATION (SURVEY REQUIDED TO DRAWINGS* Building Under Construction* struction of the building is complete. (1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR, ied in Item A7. In Puerto Rico only, enter meters. Vertical Daturn: VAVO ms a) through h) below. NGVD 1929 NAVD 1988 as that used for the BFE. c, or enclosure floor) 4 Pfe 13 8 Ffe V Zones only) 7 Pfe ng the building 7 Pfe and the building 7 Pfe EYOR, ENGINEER, OR ARCHITECT CERTIFICAL or, engineer, or architect authorized by law to certify elever or imprisonment under 18 U.S. Code, Section 1001 Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No Ucense Number Compare Name	AFinished Construction /AH, AR/AO. Complete Items /988 B

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, conv t	he corresponding information from Se	ction A		l e	OP INCLIDANCE	COMPANY USE
Building Street Address (including Act	., Unit, Suite, and/or Bldg. No.) or PO. I				OR INSURANCE olicy Number:	COMPANY USE
	940					
WARETOWN	State い プ	ZIP Code	58	C	Company NAIC Number:	
	I D – SURVEYOR, ENGINEER, OR	ARCHITECT C	ERTIFICA			
Copy both sides of this Elevation Cert	ficate for (1) community official, (2) ins	surance agent/com	pany, and (3) building o	vner.	
Comments OTWO STORY DO	DELLUS ON ENCLOSE		4			Flood VEN 1 2:
	E AIR CONDITIONS UNIT G					
PRELIMINATY FEMA FI	00 1 00 1201-30-2015)	7- 26.201	M Zw	ID LEVE	W. 9' WITH L'ENTRACE	MODERATE WAVE
SECTION E - RIIII DING ELE	VATION INFORMATION (SURVEY			ONE AC AL	ID ZONE A	
	plete Items E1-E5. If the Certificate is					
For items £1-£4, use natural grade, if	available. Check the measurement use	ed. In Puerto Rico o	only, enter r	neters.		
grade (HAG) and the lowest adjace		boxes to show whe	_			
	sement, crawlspace, or enclosure) is sement, crawlspace, or enclosure) is		_	☐ meters ☐ meters		below the HAG.
E2. For Building Diagrams 6–9 with per		ction A Items 8 and				below the LAG.
	b in the diagrams) of the building is			meters		below the HAG.
E3. Attached garage (top of slab) is				meters	above or	=
E4. Top of platform of machinery and/o	or equipment servicing the building is			meters	above or	below the HAG.
E5. Zone AO only: If no flood depth nur ordinance? Yes No L	nber is available, is the top of the botto Inknown. The local official must certify	om floor elevated in this information in	accordan	ce with the co		
SECTION	F - PROPERTY OWNER (OR OV	VNER'S REPRES	ENTATIV	E) CERTIF	CATION	
The property owner or owner's authoriz	ed representative who completes Sect	ions A, B, and E for	Zone A (w	ithout a FEM	A-issued or cor	nmunity-issued BFE) or
Zone AO must sign here. The statemer Property Owner or Owner's Authorized I		to the best of my ki	nowledge.			
Address		City		State	ZIP C	ode
Signature		Date		Teleph	one	
Comments						
					Check	here if attachments.
	SECTION G - COMMUNITY					
The local official who is authorized by la G of this Elevation Certificate. Complete	w or ordinance to administer the commu the applicable item(s) and sign below. (inity's floodplain ma Check the measurei	magement of ment used	ordinance car in Items G8–(complete Section 10. In Puerto 1	tions A, B, C (or E), and Rico only, enter meters.
G1. The information in Section C	was taken from other documentation t	hat has been sign	ed and sea	led by a lice	need surveyor	engineer or architect
who is authorized by law to ce G2. A community official complete	ruty elevation information. (indicate ti	he source and date	e of the ele	vation data i	n the Commer	its area below.)
G3. The following information (Iter	ms G4–G10) is provided for community	y floodplain manag	riA-issueu (gement pur	poses.	HSSUEO BFE) O	Zone AU.
G4. Permit Number	G5. Date Permit Issued				npliance/Occuj	pancy issued
G7. This permit has been issued for:	☐ New Construction ☐ Substar	ntial Improvement				
G8. Elevation of as-built lowest floor (i			☐ feet	meters	Datum	
G9. BFE or (in Zone AO) depth of flood			feet	meters		
G10. Community's design flood elevation	on:	•	☐ feet	☐ meters	Datum	
Local Official's Name		Title				
Community Name		Telephone				
Signature		Date		· · · · · · · · · · · · · · · · · · ·		
Comments						
		 				
					Check	here if attachments

BUILDING PHOTOGRAPHS



7- 25 ~ 2016

FRONT VIEW



7-25-2016

RIGHT SIDE VIEW

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or RO. Route and Box No. 25 NAUTICUS ROAD

Policy Number:

City

NARETOWN

State) T

ZIP Code

08758

Company NAIC Number:

If submitting more photographs than will fit on the preceding page reflect it is additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required the state of the following and "Left Side View." When applicable, photographs must show the foundation with representative examples of the foot primes are made as indicated. Section A8.

7-25-2016

REAR VIEW



7-25-2016 LEFT

LEFT SIDE VIEW

Replaces allipravious editions.

ELEVATION CERTIFICATE, page 4

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: in these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or PO. Route and Box No. Policy Number: AUTILUS City 08758 raphs than will in on the preceding dega, afficitive additional photographs below, identify all photographs of the frequired. "Right Side View" and "Left Side View." When applicable, photographs of the flood openings or vents, as indicated in Section A8. If submitting mor date taken; "Front show the foundation

25. 2016

VIEW OF FLOOD VENT